

Revision Date: 08/26/2024

Section 1. Identification

Product identifier

Product IdentityCRP Pentofrost SF 50/50Other means of identificationCRP Pentofrost SF 50/50

Relevant identified uses of the substance or mixture and uses advised against

Coolant/Antifreeze

Details of the supplier of the safety data sheet

Company Name CRP Industries, Inc.

35 Commerce Drive Cranbury NJ 08512 United States

Emergency

24 hour Emergency Telephone No. US – ChemTrec 1-800-424-9300

Customer Service:

Section 2. Hazard(s) identification

Classification of the substance or mixture under US OSHA's Hazard Communication Standard (1910.1200) revised 2024 and Canadian Hazardous Products Regulations (SOR/2015-17) (GHS revision 7)

Acute toxicity(oral), category 4;H302

Reproductive toxicity, category 2;H361D

Specific target organ toxicity, repeated exposure category 2;H373

Label elements

Harmful if swallowed.

Suspected of damaging the unborn child.

May cause damage to organs through prolonged or repeated

exposure. Specific Target Organs: (kidneys)





Warning

H302 Harmful if swallowed.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

[Prevention]

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.



Revision Date: 08/26/2024

P260 Do not breathe dust, fume, mist, vapors or spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, eye protection, and face protection.

[Response]

P301+312 IF SWALLOWED: Call a POISON CENTER, doctor or physician if you feel unwell.

P308+313 IF exposed or concerned: Get medical advice or attention.

P312 Call a POISON CENTER, doctor or physician if you feel unwell.

P314 Get Medical advice or attention if you feel unwell.

P330 Rinse mouth.

[Storage]

P405 Store locked up.

[Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

Other hazards

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of US OSHA's Hazard Communication Standard (1910.1200) revised 2024 and Canadian Hazardous Products Regulations (SOR/2015-17) (GHS revision 7)

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Ethane-1,2-diol CAS Number: 107-21-1 Synonyms: Ethanediol, Ethylene glycol		Acute toxicity(oral), category 4;H302 Specific target organ toxicity, repeated exposure category 2;H373	

The actual concentration or concentration range is withheld as a trade secret.

Section 4. First aid measures

Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

^{*}PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.



Revision Date: 08/26/2024

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

Treat symptomatically. See section 2 for further details.

Ingestion Harmful if swallowed.

Section 5. Fire-fighting measures

Extinguishing media

Individuals should perform only those firefighting procedures for which they have been trained. Use water spray, dry chemical, foam or carbon dioxide. Use water to keep fire-exposed containers cool. If a spill or leak has not ignited, use water spray to disperse the vapors. Water spray may be used to flush spills away from fire and diluted spills to noncombustible proportions. See warnings on water spray on hot glycol below.

Special hazards arising from the substance or mixture

Hazardous decomposition: If pyrolyzed, thermal decomposition products of residue may include carbon (C), carbon monoxide (CO), carbon dioxide (CO₂), water (H2O), ammonia (NH3), organic vapors and nitrogen-containing organic compounds.

Do not breathe dust, fume, mist, vapors or spray.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. 171

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.



Revision Date: 08/26/2024

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

See section 2 for further details. - [Prevention]

Conditions for safe storage, including any incompatibilities

To prevent possible storage container rupture, do not permit to freeze.

Incompatible materials: Oxidizing agents, strong acids and bases

See section 2 for further details. - [Storage]

Specific end use(s)

No data available.

Section 8. Exposure controls / personal protection

Control parameters

Exposure

CAS No.	Ingredient	Source	Value
107-21-1	Ethane-1,2-diol	OSHA	No Established Limit
		ACGIH	25 ppm (V) vapor 50 ppm (V) vapor, 10 mg/m³ (I, H)
		NIOSH	no established RELs

Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit, they must use the

appropriate, certified respirators.

Eyes Protective safety glasses recommended

Skin Protective gloves recommended.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.



Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical State Liquid

ColorClear, slightly viscous pinkOdorNo characteristic odor

Melting point / freezing point Freezing point: Lower than -34°F (-36°C)

Initial boiling point and boiling range Higher than 226°F (108°C)

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Available

Upper Explosive Limit: Not Available

Revision Date: 08/26/2024

Flash Point None

Auto-ignition temperature

Decomposition temperature

Not Available

Not Available

7.5~9.0

Viscosity (cSt)

Not Available

Solubility in Water
Partition coefficient n-octanol/water (Log Kow)
Not Available
Vapor pressure (Pa)
Not Available
Relative Density
Not Available
1.06~1.10 g/cm3
Vapor Density
Not Available
Evaporation rate (Ether = 1)
Not Available

Evaporation rate (Ether = 1)Not Available **VOC Content**Not Available

Other information

No other relevant information.

Section 10. Stability and reactivity

Reactivity

Hazardous Polymerization will not occur.

Chemical stability

Stable under normal circumstances.

Possibility of hazardous reactions

No data available.

Conditions to avoid

Avoid oxidizing agents, strong acids and bases. Do not expose to open flame.

Incompatible materials

Oxidizing agents, strong acids and bases



Revision Date: 08/26/2024

Hazardous decomposition products

If pyrolyzed, thermal decomposition products of residue may include carbon (C), carbon monoxide (CO), carbon dioxide (CO₂), water (H2O), ammonia (NH3), organic vapors and nitrogen-containing organic compounds.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Ethane-1,2-diol - (107-21-1)	500.10, Rat - Category: 4	3,501.00, Mouse - Category: 5	No data available.	No data available.	No data available.

Carcinogen Data

CAS No.	Ingredient	Source	Value			
107-21-1	Ethane-1,2-diol	IARC				
		ACGIH				
Classification		Ca	tegory	Hazard Description		
Acute toxicit	ute toxicity (oral) 4		Harmful if swallowed.			
Acute toxicit	y (dermal)			Not Applicable		
Acute toxicit	y (inhalation)			Not Applicable		
Skin corrosio	on/irritation			Not Applicable		
Serious eye	damage/irritation			Not Applicable		
Respiratory	sensitization			Not Applicable		
Skin sensitization				Not Applicable		
Germ cell m	utagenicity			Not Applicable		
Carcinogenicity				Not Applicable		
Reproductive toxicity			2	Suspected of damaging the unborn child.		
STOT-single exposure				Not Applicable		
STOT-repeated exposure			2	May cause damage to organs through prolonged or repeated exposure.		
Aspiration ha	azard			Not Applicable		

Possible routes of entry: No data available.

Symptoms and effects, both acute and delayed:

No specific symptom data available.

Treat symptomatically.



Revision Date: 08/26/2024

Ingestion Harmful if swallowed.

Section 12. Ecological information

Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,	
	mg/L	mg/L	mg/L	
Ethane-1,2-diol - (107-21-1)	72,860.00, Pimephales promelas	101.00, Daphnia magna	3,536.00, Green algae	

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

Not Available

Mobility in soil

No data available.

Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

Other adverse effects

No data available.

Section 13. Disposal considerations

Waste treatment methods

Waste should not be released to sewers. Observe all federal, state, and local regulations when disposing of this substance.



Revision Date: 08/26/2024

Section 14. Transport information

Classification Method: Classified as per Part 2, Sections 2.1-2.8 of the Transportation of Dangerous Goods Regulations.

Domestic Surface Transportation IMO / IMDG (Ocean **ICAO/IATA Transportation**) **UN** number UN3082 UN3082 UN3082 **UN** proper UN3082, Environmentally Environmentally hazardous Environmentally hazardous shipping hazardous substances, liquid, substances, liquid, n.o.s., substances, liquid, n.o.s., n.o.s., (Ethylene Glycol), 9, III (Ethylene Glycol) (Ethylene Glycol) name **Transport TDG Hazard Class: 9** IMDG: 9 Air Class: 9 hazard Sub Class: Not Applicable Sub Class: Not Applicable Sub Class: Not Applicable class(es) Packing group III Ш Ш

Environmental hazards

Marine Pollutant: No;

Special precautions for user

Not Applicable

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

This product has been classified in accordance with US OSHA's Hazard Communication Standard (1910.1200) revised 2024 and Canadian Hazardous Products Regulations (SOR/2015-17 amended 2022-12-15) (GHS revision 7) and the SDS contains all of the information required by those regulations.

Toxic Substance Control Act (TSCA)

Ethane-1,2-diol

methyl-1H-benzotriazole (TP)

Water

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Ethane-1,2-diol

Canadian Domestic Substance List (DSL):

Ethane-1,2-diol

Water

Canadian Non-Domestic Substance List (NDSL):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



Revision Date: 08/26/2024

New Jersey RTK Substances (>1%):

Ethane-1,2-diol

Pennsylvania RTK Substances (>1%):

Ethane-1,2-diol

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

Ethane-1,2-diol

Proposition 65 - Female Repro Toxins (>0.0%):

Ethane-1,2-diol

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [Ethane-1,2-diol], which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Section 16. Other information

Revision Date 08/26/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

End of Document