TRANSMISSION FLUID





PENTOSIN ATF 1 LV

Long-Life Fully Synthetic Automatic Transmission Fluid

DESCRIPTION

Pentosin ATF 1 LV is a fully synthetic high performance Automatic Transmission Fluid (ATF) for life-time application in automatic gear boxes. It can be used when a "low viscosity" ATF is required. Pentosin ATF 1 LV is formulated by means of the best commercially available synthetic base oils and additive components. A high performance shear stable VI-Improver plus modern antiwear chemistry and friction modifiers guarantee a sound stable friction performance in modern automatic transmissions equipped with an electronically controlled converter clutch.

SIZE	PART NUMBER	GTIN-13
1 Liter	1088107	4008849173448
5 Liter	1088206	4008849173462

PRODUCT ATTRIBUTES	
Appearance	Red & Clear
Density at 20°C	845 kg/m³
Kinematic Viscosity at 100°C	5.6 mm ² /s
Kinematic Viscosity at 40°C	25.3 mm ² /s
Viscosity Index	168
Dynamic Viscosity at -40°C	6800 mPa*s
Pour Point	-54°C/-65.2°F
Flash Point	>206°C/>402°F

OE REFERENCE NUMBERS/RECOMMENDATIONS		
Make	Reference Number	
Aisin Warner	AW-1	
Aisin Warner	JWS3324	
Audi/Volkwagen	G 055 540 A2	
Chrysler/Dodge	05127382AA/AB	
GM	19256039	
GM	88863400	
Hyundai	00232-19016	
Land Rover	LR022460	
Porsche	958 300 540 00	
Saab	93165147	

OE REFERENCE NUMBERS/RECOMMENDATIONS		
Reference Number		
00289-ATFWS		
08886-02305		
08886-81210		
31256774		
31256775		

