

TRANSMISSION
FLUID



PENTOSIN ATF 134 FE PLUS *EV READY*

Premium Performance Low Viscosity Automatic Transmission Fluid

DESCRIPTION

Pentosin ATF 134 FE PLUS is a premium performance ATF with reduced viscosity, specially developed to further optimize fuel economy and gearbox efficiency of the latest generation Mercedes-Benz 9-speed automatic transmissions (Type 9-G Tronic). Not backwards compatible with previous MB-ATF-Specifications. This fluid is also EV READY for Mercedes-Benz hybrid vehicles. The extremely low viscosity of Pentosin ATF 134 FE PLUS offers enormous potential for fuel savings and very good low-temperature properties. The product also features low oil consumption and optimized friction coefficient stability over life for extended oil change intervals.

PRODUCT ATTRIBUTES

Appearance	Amber/Clear
Density at 15°C	0.822 g/ml
Kinematic Viscosity at 100°C	4.1 mm ² /s
Kinematic Viscosity at 40°C	17.5 mm ² /s
Viscosity Index	139
Pour Point	-45°C/-49°F

SIZE	PART NUMBER	GTIN-13
1 Liter	1090117	4001541464319
5 Liter	1090216	4001541464142

OE REFERENCE NUMBERS/RECOMMENDATIONS

Make	Reference Number
Freightliner	MB 236.17
Mercedes-Benz	MB 236.17

Always consult the vehicle owner's manual to identify fluid specification requirements. MSDS available to professional repair technician upon request.

© CRP Industries Inc. Pentosin is a trade name of FUCHS Schmierstoffe GmbH. All rights reserved.

DISCLAIMER: CRP Industries Inc. has made every effort to assure the accuracy of the information on this product data sheet. Neither CRP Industries Inc., nor its affiliates assume responsibility for any loss or damage due to any errors, omissions, or manufacturing changes.

PENTOATF134FEPLUS-0124



AAE | REIN | PENTOSIN

OE-quality brands for import applications.