



Safety Data Sheet
Complies with 29 CFR 1910.1200 &with
Hazardous Products Regulations
(SOR/2015-17)
CRP PENTOSIN ATF 5

Revision Date: 09/08/2022

1. Identification

Product identifier

Product Identity CRP PENTOSIN ATF 5

Other means of identification CRP PENTOSIN ATF 5

Relevant identified uses of the substance or mixture and uses advised against
Lubricant

Details of the supplier of the safety data sheet

Company Name CRP Industries, Inc.
35 Commerce Drive
Cranbury NJ 08512
United States

Emergency

24 hour Emergency Telephone No. Canada – ChemTrec 1-800-424-9300

Customer Service: CRP Industries, Inc.

2. Hazard(s) identification

Classification of the substance or mixture

Skin sensitizer category 1;H317 May cause an allergic skin reaction.

Aquatic toxicity (acute), category 3;H402 Harmful to aquatic life.

Label elements



Warning

H317 May cause an allergic skin reaction.

H402 Harmful to aquatic life.

[Prevention]

P261 Avoid breathing dust, fume, gas, mist, vapours, spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, face protection.



Safety Data Sheet
Complies with 29 CFR 1910.1200 &with
Hazardous Products Regulations
(SOR/2015-17)
CRP PENTOSIN ATF 5

Revision Date: 09/08/2022

[Response]

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.

P362+364 Take off contaminated clothing and wash it before reuse.

[Storage]

No GHS storage statements

[Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the Hazardous Products Regulations.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|--|----------|---|-------------------|
| Distillates (petroleum), hydrotreated light paraffinic; Baseoil-unspecified CAS Number: 0064742-55-8 Synonyms: Distillates (petroleum), hydrotreated light paraffinic | 3 - 7 | Not Classified | No data available |
| Methacrylate copolymer CAS Number: Proprietary Synonyms: Methacrylate copolymer | 3 - 7 | Serious eye damage / eye irritation, category 2;H319 | No data available |
| Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives CAS Number: 0061791-44-4 Synonyms: Tallow bis(2-hydroxyethyl)amine | 0.1 - 1 | Metal corrosion;H290 Acute toxicity(oral), category 4;H302 Skin corrosion/irritation category 1C;H314 Skin sensitizer category 1;H317 Serious eye damage / eye irritation, category 1;H318 Aquatic toxicity (acute), category 1;H400 | No data available |

The actual concentration or concentration range is withheld as a trade secret.

*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.



Safety Data Sheet
Complies with 29 CFR 1910.1200 & with
Hazardous Products Regulations
(SOR/2015-17)
CRP PENTOSIN ATF 5

Revision Date: 09/08/2022

| | |
|--|---|
| Skin | Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. |
| Ingestion | If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting. |
| Most important symptoms and effects, both acute and delayed | |
| Overview | No specific symptom data available. Treat symptomatically. See section 2 for further details. |
| Skin | May cause an allergic skin reaction. |

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media: CO₂, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added.
Unsuitable extinguishing media: Water with a full water jet.

Special hazards arising from the substance or mixture

Hazardous decomposition: Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Avoid breathing dust, fume, gas, mist, vapours, spray.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

ERG Guide No. ---

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.



Safety Data Sheet
Complies with 29 CFR 1910.1200 &with
Hazardous Products Regulations
(SOR/2015-17)
CRP PENTOSIN ATF 5

Revision Date: 09/08/2022

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

See section 2 for further details. - [Prevention]

Conditions for safe storage, including any incompatibilities

Do not heat up to temperatures close to the flash point.

Incompatible materials: Strong oxidizing substances. Strong acids. Strong bases.

See section 2 for further details. - [Storage]

Specific end use(s)

No data available.

Section 8. Exposure controls / personal protection

Control parameters

Exposure

| CAS No. | Ingredient | Source | Value |
|--------------|---|---------------------------|----------------------|
| 0061791-44-4 | Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives | ACGIH | No Established Limit |
| | | Alberta | No Established Limit |
| | | British Columbia | No Established Limit |
| | | Manitoba | No Established Limit |
| | | New Brunswick | No Established Limit |
| | | Newfoundland and Labrador | No Established Limit |
| | | Nova Scotia | No Established Limit |
| | | Northwest Territories | No Established Limit |
| | | Nunavut | No Established Limit |
| | | Ontario | No Established Limit |
| | | Prince Edward Island | No Established Limit |
| | | Quebec | No Established Limit |
| | | Saskatchewan | No Established Limit |
| | | Yukon | No Established Limit |
| 0064742-55-8 | Distillates (petroleum), hydrotreated light paraffinic; Baseoil-unspecified | ACGIH | No Established Limit |
| | | Alberta | No Established Limit |



Safety Data Sheet
Complies with 29 CFR 1910.1200 & with
Hazardous Products Regulations
(SOR/2015-17)
CRP PENTOSIN ATF 5

Revision Date: 09/08/2022

| | | | |
|-------------|------------------------|---------------------------|----------------------|
| | | British Columbia | No Established Limit |
| | | Manitoba | No Established Limit |
| | | New Brunswick | No Established Limit |
| | | Newfoundland and Labrador | No Established Limit |
| | | Nova Scotia | No Established Limit |
| | | Northwest Territories | No Established Limit |
| | | Nunavut | No Established Limit |
| | | Ontario | No Established Limit |
| | | Prince Edward Island | No Established Limit |
| | | Quebec | No Established Limit |
| | | Saskatchewan | No Established Limit |
| | | Yukon | No Established Limit |
| Proprietary | Methacrylate copolymer | ACGIH | No Established Limit |
| | | Alberta | No Established Limit |
| | | British Columbia | No Established Limit |
| | | Manitoba | No Established Limit |
| | | New Brunswick | No Established Limit |
| | | Newfoundland and Labrador | No Established Limit |
| | | Nova Scotia | No Established Limit |
| | | Northwest Territories | No Established Limit |
| | | Nunavut | No Established Limit |
| | | Ontario | No Established Limit |
| | | Prince Edward Island | No Established Limit |
| | | Quebec | No Established Limit |
| | | Saskatchewan | No Established Limit |
| | | Yukon | No Established Limit |

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³ OSHA PEL and 10 mg/m³ ACGIH.

Exposure controls

Respiratory

If workers are exposed to concentrations above the exposure limit, they must use the appropriate, certified respirators.

Eyes

Protective safety glasses recommended

Skin

Protective gloves recommended.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to



Safety Data Sheet
Complies with 29 CFR 1910.1200 & with
Hazardous Products Regulations
(SOR/2015-17)
CRP PENTOSIN ATF 5

Revision Date: 09/08/2022

maintain concentrations of particulates and any vapour below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

| | |
|--|--|
| Appearance | Amber Liquid |
| Odor | Characteristic |
| Odor threshold | Not determined |
| pH | Not Available |
| Melting point / freezing point | Not Available |
| Initial boiling point and boiling range | Not Available |
| Flash Point | 190 °C |
| Evaporation rate (Ether = 1) | Not Available |
| Flammability (solid, gas) | Not Applicable |
| Upper/lower flammability or explosive limits | Lower Explosive Limit: Not Available Upper Explosive Limit: Not Available |
| Vapour pressure (Pa) | Not Available |
| Vapour Density | Not Available |
| Relative Density | 0.86 g/ml (15.00 °C) |
| Solubility in Water | Insoluble in water |
| Partition coefficient n-octanol/water (Log Kow) | Not Available |
| Auto-ignition temperature | Not Available |
| Decomposition temperature | Not Available |
| Viscosity (cSt) | Kinematic viscosity:35.9 mm ² /s (40 °C) |
| Other information | |
| DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only) | |

Section 10. Stability and reactivity

Reactivity

Hazardous Polymerization will not occur.

Chemical stability

Stable under normal circumstances.

Possibility of hazardous reactions

No data available.



Safety Data Sheet
Complies with 29 CFR 1910.1200 & with
Hazardous Products Regulations
(SOR/2015-17)
CRP PENTOSIN ATF 5

Revision Date: 09/08/2022

Conditions to avoid

No data available.

Incompatible materials

Strong oxidizing substances. Strong acids. Strong bases.

Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation vapour LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|--|-----------------------------------|--------------------------------------|----------------------------------|-------------------------------------|--------------------------|
| Distillates (petroleum), hydrotreated light paraffinic; Baseoil-unspecified - (64742-55-8) | > 5,000.00, Rat - Category: NA | > 5,000.00, Rabbit - Category: NA | No data available | No data available | No data available |
| Methacrylate copolymer - (Proprietary) | No data available | No data available | No data available | No data available | No data available |
| Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives - (61791-44-4) | No data available | No data available | No data available | No data available | No data available |

Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|--------------|---|--------|--|
| 0061791-44-4 | Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| | | ACGIH | No Established Limit |
| 0064742-55-8 | Distillates (petroleum), hydrotreated light paraffinic; Baseoil-unspecified | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| | | ACGIH | No Established Limit |
| Proprietary | Methacrylate copolymer | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| | | ACGIH | No Established Limit |

| Classification | Category | Hazard Description |
|-------------------------------|----------|--------------------------------------|
| Acute toxicity (oral) | --- | Not Applicable |
| Acute toxicity (dermal) | --- | Not Applicable |
| Acute toxicity (inhalation) | --- | Not Applicable |
| Skin corrosion/irritation | --- | Not Applicable |
| Serious eye damage/irritation | --- | Not Applicable |
| Respiratory sensitization | --- | Not Applicable |
| Skin sensitization | 1 | May cause an allergic skin reaction. |
| Germ cell mutagenicity | --- | Not Applicable |



Safety Data Sheet
Complies with 29 CFR 1910.1200 & with
Hazardous Products Regulations
(SOR/2015-17)
CRP PENTOSIN ATF 5

Revision Date: 09/08/2022

| | | |
|------------------------|-----|----------------|
| Carcinogenicity | --- | Not Applicable |
| Reproductive toxicity | --- | Not Applicable |
| STOT-single exposure | --- | Not Applicable |
| STOT-repeated exposure | --- | Not Applicable |
| Aspiration hazard | --- | Not Applicable |

Possible routes of entry: No data available.

Symptoms and effects, both acute and delayed:

No specific symptom data available.

Treat symptomatically.

Skin May cause an allergic skin reaction.

Section 12. Ecological information

Toxicity

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/L | 48 hr EC50 crustacea, mg/L | ErC50 algae, mg/L |
|--|-----------------------------|----------------------------|---|
| Distillates (petroleum), hydrotreated light paraffinic; Baseoil-unspecified - (64742-55-8) | 101.00, Pimephales promelas | > 10,000, Daphnia magna | 100.00 (72 hr), Pseudokirchneriella subcapitata |
| Methacrylate copolymer - (Proprietary) | Not Available | Not Available | Not Available |
| Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives - (61791-44-4) | Not Available | Not Available | Not Available |

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

Not Available

Mobility in soil

No data available.

Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

Other adverse effects

No data available.



Safety Data Sheet
Complies with 29 CFR 1910.1200 & with
Hazardous Products Regulations
(SOR/2015-17)
CRP PENTOSIN ATF 5

Revision Date: 09/08/2022

Section 13. Disposal considerations

Waste treatment methods

Observe all federal, state, and local regulations when disposing of this substance.

Section 14. Transport information

Classification Method: Classified as per Part 2, Sections 2.1 - 2.8 of the Transportation of Dangerous Goods Regulations.

| | TDG (Domestic Surface Transportation) | IMO / IMDG (Ocean Transportation) | ICAO/IATA |
|-------------------------------------|---|---|--|
| UN number | Not Regulated | Not Regulated | Not Regulated |
| UN proper shipping name | Not Regulated | Not Regulated | Not Regulated |
| Transport hazard class(es) | TDG Hazard Class: Not Applicable Sub Class: Not Applicable | IMDG: Not Applicable Sub Class: Not Applicable | Air Class: Not Applicable Sub Class: Not Applicable |
| Packing group | Not Applicable | Not Applicable | Not Applicable |
| Environmental hazards | | | |
| IMDG | Marine Pollutant: No; | | |
| Special precautions for user | Not Applicable | | |

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

This product has been classified in accordance with the hazard criteria Hazardous Products Regulations (SOR/2015-17) and the SDS contains all of the information required by those regulations.

Toxic Substance Control Act (TSCA)

- 1-Propanamine, 3-(C9-11-isoalkyloxy) derivs., C10-rich (UVCB)
- Distillates (petroleum), hydrotreated light paraffinic; Baseoil-unspecified (UVCB)
- Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives (UVCB)

Canadian Domestic Substance List (DSL):

- Distillates (petroleum), hydrotreated light paraffinic; Baseoil-unspecified
- Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives

Canadian Non-Domestic Substance List (NDSL):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



Safety Data Sheet
Complies with 29 CFR 1910.1200 &with
Hazardous Products Regulations
(SOR/2015-17)
CRP PENTOSIN ATF 5

Revision Date: 09/08/2022

New Jersey RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Pennsylvania RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

| Chemical Name (CAS Number) | US TSCA | Australia AICS | Korea ECL | EU EINECS | EU ELINCS | EU SVHC | EN NLP | Mexico INSQ |
|--|---------|----------------|-----------|-----------|-----------|---------|--------|-------------|
| Distillates (petroleum), hydrotreated light paraffinic; Baseoil-unspecified (0064742-55-8) | Yes | Yes | Yes | Yes | No | No | No | No |
| Methacrylate copolymer (Proprietary) | No | No | No | No | No | No | No | No |
| Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives (0061791-44-4) | Yes | Yes | Yes | Yes | No | No | No | No |

| Chemical Name (CAS Number) | China IECSC | Japan ENCS | Japan ISHL | Japan PDSCL | Japan PRTR 1 | Japan PRTR 2 | Philippines PICCS | New Zealand NZIOC |
|--|-------------|------------|------------|-------------|--------------|--------------|-------------------|-------------------|
| Distillates (petroleum), hydrotreated light paraffinic; Baseoil-unspecified (0064742-55-8) | Yes | Yes | No | No | No | No | Yes | Yes |
| Methacrylate copolymer (Proprietary) | No | No | No | No | No | No | No | No |
| Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives (0061791-44-4) | Yes | No | No | No | No | No | Yes | Yes |



Safety Data Sheet
Complies with 29 CFR 1910.1200 &with
Hazardous Products Regulations
(SOR/2015-17)
CRP PENTOSIN ATF 5

Revision Date: 09/08/2022

Section 16. Other information

Revision Date 09/08/2022

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

End of Document