

Revision Date: 09/08/2022

## 1. Identification

**Product identifier** 

Product Identity CRP PENTOSIN CHF 11S

Other means of identification CRP PENTOSIN CHF 11S

Relevant identified uses of the substance or mixture and uses advised against

Hydraulic fluid

Details of the supplier of the safety data sheet

Company Name CRP Industries, Inc.

35 Commerce Drive

Cranbury NJ 08512

**United States** 

**Emergency** 

**24 hour Emergency Telephone No.** Canada – ChemTrec 1-800-424-9300

**Customer Service: CRP Industries, Inc.** 

# 2. Hazard(s) identification

### Classification of the substance or mixture

Skin sensitizer category 1;H317 Aspiration hazard, category 1;H304 Aquatic toxicity (acute), category 3;H402

Label elements

May cause an allergic skin reaction.

May be fatal if swallowed and enters airways.

Harmful to aquatic life.





# **Danger**

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H402 Harmful to aquatic life.

### [Prevention]

P261 Avoid breathing dust, fume, gas, mist, vapours, spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, face protection.



**Revision Date: 09/08/2022** 

### [Response]

P301+310 IF SWALLOWED: Immediately call a POISON CENTER, doctor or physician.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P331 Do NOT induce vomiting.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.

P362+364 Take off contaminated clothing and wash it before reuse.

### [Storage]

P405 Store locked up.

## [Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

# 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the Hazardous Products Regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
1-Decene, dimer, hydrogenated CAS Number: 0068649-11-6 Synonyms: Dec-1-ene, dimers, hydrogenated	65 - 85	Aspiration hazard, category 1;H304	No data available
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil-unspecified CAS Number: 0072623-86-0 Synonyms: Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil-unspecified	30 - 60	Not Classified	No data available
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives CAS Number: 0061791-44-4 Synonyms: Tallow bis(2-hydroxyethyl)amine	0.1 - 1	Metal corrosion;H290 Acute toxicity(oral), category 4;H302 Skin corrosion/irritation category 1C;H314 Skin sensitizer category 1;H317 Serious eye damage / eye irritation, category 1;H318 Aquatic toxicity (acute), category 1;H400	No data available

The actual concentration or concentration range is withheld as a trade secret.

## Section 4. First aid measures

### **Description of first aid measures**

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

<sup>\*</sup>PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.



Revision Date: 09/08/2022

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

**Ingestion** If accidentally swallowed obtain immediate medical attention. Keep at rest. Do NOT induce

vomiting.

### Most important symptoms and effects, both acute and delayed

Overview Treat symptomatically. Exposure to solvent vapour concentrations from the component

solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatique, muscular weakness, drowsiness and in extreme cases, loss of

consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from

the skin resulting in dryness, irritation, and possible non-allergic contact dermatitis.

Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

**Inhalation** May be fatal if swallowed and enters airways.

**Skin** May cause an allergic skin reaction.

# Section 5. Fire-fighting measures

## **Extinguishing media**

Suitable extinguishing media: CO<sub>2</sub>, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added.

Unsuitable extinguishing media: Water with a full water jet.

### Special hazards arising from the substance or mixture

Hazardous decomposition: Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Avoid breathing dust, fume, gas, mist, vapours, spray.

## Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

ERG Guide No. ---



Revision Date: 09/08/2022

# Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

### **Environmental precautions**

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

## Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

# Section 7. Handling and storage

### Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

See section 2 for further details. - [Prevention]

### Conditions for safe storage, including any incompatibilities

Do not heat up to temperatures close to the flash point.

Incompatible materials: Strong oxidizing substances. Strong acids. Strong bases.

See section 2 for further details. - [Storage]

### Specific end use(s)

No data available.

# Section 8. Exposure controls / personal protection

### **Control parameters**

## **Exposure**

CAS No.	Ingredient	Source	Value
0061791-44-4	Ethanol, 2,2'-iminobis-, N-tallow alkyl	ACGIH	No Established Limit
	derivatives	Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit



Revision Date: 09/08/2022

1	T. Control of the con		
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit
0068649-11-6	1-Decene, dimer, hydrogenated	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit
0072623-86-0	Lubricating oils (petroleum), C15-30,	ACGIH	No Established Limit
	hydrotreated neutral oil-based; Baseoil- unspecified	Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit



Revision Date: 09/08/2022

	Ontario	No Established Limit	
	Prince E Island	dward No Established Limit	
	Quebec	No Established Limit	
	Saskatch	newan No Established Limit	
L	Yukon	No Established Limit	

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³ OSHA PEL and 10 mg/m³ ACGIH.

**Exposure controls** 

**Respiratory** If workers are exposed to concentrations above the exposure limit, they must use the

appropriate, certified respirators.

**Eyes** Protective safety glasses recommended

**Skin** Protective gloves recommended.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapour below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

# Section 9. Physical and chemical properties

**Appearance** Green Liquid Odor Characteristic **Odor threshold** Not determined Not Available Hq Melting point / freezing point Not Available Initial boiling point and boiling range Not Available **Flash Point** 156 °C **Evapouration rate (Ether = 1)** Not Available Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Available

Upper Explosive Limit: Not Available

Vapour pressure (Pa)Not AvailableVapour DensityNot Available

Relative Density

Solubility in Water

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

0.82 g/ml (15.00 °C)

Insoluble in water

Not Available

Not Available



Not Available

Kinematic viscosity:18.7 mm2/s (40 °C)

Revision Date: 09/08/2022

Decomposition temperature Viscosity (cSt)

Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

# Section 10. Stability and reactivity

### Reactivity

Hazardous Polymerization will not occur.

### **Chemical stability**

Stable under normal circumstances.

## Possibility of hazardous reactions

No data available.

### Conditions to avoid

Excessive heat and open flame.

### Incompatible materials

Strong oxidizing substances. Strong acids. Strong bases.

## **Hazardous decomposition products**

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

# **Section 11. Toxicological information**

# **Acute toxicity**

Exposure to solvent vapour concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation, and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
1-Decene, dimer, hydrogenated - (68649-11-6)	No data available	No data available	No data available	No data available	No data available



)			

Revision Date: 09/08/2022

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil-unspecified - (72623-86-0)	No data available	No data available	No data available	No data available	No data available
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives - (61791-44-4)	No data available	No data available	No data available	No data available	No data available

## **Carcinogen Data**

CAS No.	Ingredient	Source	Value				
0061791-44-4	Ethanol, 2,2'-iminobis-, N-tallow	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
	alkyl derivatives	ACGIH	No Established Limit				
0068649-11-6	1-Decene, dimer, hydrogenated	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
		ACGIH	No Established Limit				
0072623-86-0	Lubricating oils (petroleum), C15-	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
	30, hydrotreated neutral oil-based; Baseoil-unspecified	ACGIH	No Established Limit				

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard	1	May be fatal if swallowed and enters airways.

Possible routes of entry: No data available.

Symptoms and effects, both acute and delayed:

Treat symptomatically.

**Inhalation** May be fatal if swallowed and enters airways.

**Skin** May cause an allergic skin reaction.



Revision Date: 09/08/2022

# **Section 12. Ecological information**

## **Toxicity**

## **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
1-Decene, dimer, hydrogenated - (68649-11-6)	Not Available	Not Available	Not Available
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil-unspecified - (72623-86-0)	Not Available	Not Available	Not Available
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives - (61791-44-4)	Not Available	Not Available	Not Available

### Persistence and degradability

There is no data available on the preparation itself.

### **Bioaccumulative potential**

Not Available

### Mobility in soil

No data available.

# Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### Other adverse effects

No data available.

# Section 13. Disposal considerations

### Waste treatment methods

Observe all federal, state, and local regulations when disposing of this substance.

# **Section 14. Transport information**

Classification Method: Classified as per Part 2, Sections 2.1 - 2.8 of the Transportation of Dangerous Goods Regulations.

	TDG (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
UN number	Not Regulated	Not Regulated	Not Regulated
UN proper shipping name	Not Regulated	Not Regulated	Not Regulated



IMDG: Not Applicable Air Class: Not Applicable

Revision Date: 09/08/2022

Sub Class: Not Applicable Sub Class: Not Applicable

Packing group Not Applicable Not Applicable Not Applicable

**Environmental hazards** 

**Transport hazard** 

class(es)

IMDG Marine Pollutant: No;

Special precautions for user

Not Applicable

**Applicable** 

# Section 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

TDG Hazard Class: Not

Sub Class: Not Applicable

This product has been classified in accordance with the hazard criteria Hazardous Products Regulations (SOR/2015-17) and the SDS contains all of the information required by those regulations.

Toxic Substance Control Act (TSCA)

1-Decene, dimer, hydrogenated (UVCB)

Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives (UVCB)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil-unspecified (UVCB)

### **Canadian Domestic Substance List (DSL):**

1-Decene, dimer, hydrogenated

Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil-unspecified

### Canadian Non-Domestic Substance List (NDSL):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### New Jersey RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Pennsylvania RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



## **Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Revision Date: 09/08/2022

Chemical Name (CAS Number)	US TSCA	Australia AICS	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EN NLP	Mexico INSQ
1-Decene, dimer, hydrogenated (0068649-11-6)	Yes	Yes	Yes	No	No	No	Yes	No
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil- unspecified (0072623-86-0)	Yes	Yes	Yes	Yes	No	No	No	Yes
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives (0061791-44-4)	Yes	Yes	Yes	Yes	No	No	No	No

Chemical Name (CAS Number)	China IECSC	Japan ENCS	Japan ISHL	Japan PDSCL	Japan PRTR 1	Japan PRTR 2	Philippines PICCS	New Zealand NZIOC
1-Decene, dimer, hydrogenated (0068649-11-6)	Yes	Yes	No	No	No	No	Yes	Yes
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil- unspecified (0072623-86-0)	Yes	Yes	No	No	No	No	Yes	Yes
Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives (0061791-44-4)	Yes	No	No	No	No	No	Yes	Yes

# Section 16. Other information

## Revision Date 09/08/2022

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.



Revision Date: 09/08/2022

The full text of the phrases appearing in section 3 is:

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

**End of Document**