

Revision Date: 01/17/2023

1. Identification

Product identifier

Product IdentityCRP PENTOFROST A3Other means of identificationCRP PENTOFROST A3

Relevant identified uses of the substance or mixture and uses advised against

Coolant/Anti-freeze

Details of the supplier of the safety data sheet

Company Name CRP Industries, Inc.

35 Commerce Drive Cranbury NJ 08512

United States

Emergency

24 hour Emergency Telephone No.Canada – ChemTrec 1-800-424-9300

Customer Service: CRP Industries, Inc.

2. Hazard(s) identification

Classification of the substance or mixture

Acute toxicity(oral), category 4;H302 Harmful if swallowed.

Label elements



H302 Harmful if swallowed.

[Prevention]

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

[Response]

P301+312 IF SWALLOWED: Call a POISON CENTER, doctor or physician if you feel unwell.

P312 Call a POISON CENTER, doctor or physician if you feel unwell.

P330 IF SWALLOWED: Rinse mouth.

[Storage]

No GHS storage statements



Revision Date: 01/17/2023

[Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the Hazardous Products Regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Ethane-1,2-diol CAS Number: 0000107-21-1 Synonyms: Ethanediol, Ethylene glycol	45 - 70	Acute toxicity(oral), category 4;H302	No data available
Diethylene glycol CAS Number: 0000111-46-6 Synonyms: Ethanol, 2,2'-oxybis-	3 - 7	Acute toxicity(oral), category 4;H302	No data available

The actual concentration or concentration range is withheld as a trade secret.

Section 4. First aid measures

Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

Treat symptomatically. See section 2 for further details.

Ingestion Harmful if swallowed.

Section 5. Fire-fighting measures

Extinguishing media

Use fire fighting measures that suit the environment.

^{*}PBT/vPvB - PBT-substance or vPvB-substance. The full texts of the phrases are shown in Section 16.



Revision Date: 01/17/2023

Special hazards arising from the substance or mixture

Hazardous decomposition: Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

ERG Guide No. ---

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

See section 2 for further details. - [Prevention]

Conditions for safe storage, including any incompatibilities

Avoid storage near extreme heat, ignition sources or open flame.

Incompatible materials: Oxidizers, strong bases, strong acids

See section 2 for further details. - [Storage]

Specific end use(s)

No data available.



Revision Date: 01/17/2023

Section 8. Exposure controls / personal protection

Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000107-21-1	Ethane-1,2-diol	ACGIH	25 ppm TWA (vapour fraction)
		Alberta	No Established Limit
		British Columbia	10 mg/m³ TWA (particulate) 20 mg/m³ STEL (particulate)
		Manitoba	25 ppm TWA (vapour fraction) 50 ppm STEL (vapour fraction); 10 mg/m³ STEL (inhalable particulate matter, aerosol only)
		New Brunswick	No Established Limit
	Newfoundland and Labrador	25 ppm TWA (vapour fraction) 50 ppm STEL (vapour fraction); 10 mg/m³ STEL (inhalable particulate matter, aerosol only)	
	Nova Scotia	25 ppm TWA (vapour fraction) 50 ppm STEL (vapour fraction); 10 mg/m³ STEL (inhalable particulate matter, aerosol only)	
	Northwest Territories	No Established Limit	
		Nunavut	No Established Limit
	Ontario	No Established Limit	
	Prince Edward Island	25 ppm TWA (vapour fraction) 50 ppm STEL (vapour fraction); 10 mg/m³ STEL (inhalable particulate matter, aerosol only)	
	Quebec	No Established Limit	
	Saskatchewan	No Established Limit	
	Yukon	10 mg/m³ TWA (particulate); 100 ppm TWA (vapour); 250 mg/m³ TWA (vapour) 10 ppm STEL (particulate); 20 mg/m³ STEL (particulate); 125 ppm STEL (vapour); 325 mg/m³ STEL (
0000111-46-6	Diethylene glycol	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
	Northwest Territories	No Established Limit	
		Nunavut	No Established Limit
		Ontario	No Established Limit
	Prince Edward Island	No Established Limit	
		Quebec	No Established Limit



Saskatchewan No Established Limit
Yukon No Established Limit

Revision Date: 01/17/2023

Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit, they must use the

appropriate, certified respirators.

Eyes Protective safety glasses recommended

Skin Protective gloves recommended.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapour below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

Appearance Blue Liquid
Odor Light

Odor threshold Not determined

pH 7.9 (50% solution) at 20 °C (68 °F):

Melting point / freezing pointNot AvailableInitial boiling point and boiling range173 °C (343 °F)Flash Point129 °C (264 °F)Evapouration rate (Ether = 1)Not AvailableFlammability (solid, gas)Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: 3.2 Vol %

Upper Explosive Limit: 53.0 Vol %

Vapour pressure (Pa) 0.1 hPa at 20 °C (68 °F):

Vapour Density Not Available

Relative Density 1.14 g/cm³ (9.513 lbs/gal)at 20 °C (68 °F):

Solubility in Water Fully miscible

Partition coefficient n-octanol/water (Log Kow) Not Available

Auto-ignition temperature >260 °C (>500 °F)

Decomposition temperature Not Available

Viscosity (cSt) Not determined.

Other information

No other relevant information.



Revision Date: 01/17/2023

Section 10. Stability and reactivity

Reactivity

Reacts with strong acids and oxidizing agents. Toxic fumes may be released if heated above the decomposition point.

Chemical stability

Stable under normal circumstances.

Possibility of hazardous reactions

No data available.

Conditions to avoid

Excessive heat.

Incompatible materials

Oxidizers, strong bases, strong acids

Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Ethane-1,2-diol - (107-21-1)	No data available	3,501.00, Mouse - Category: 5	No data available	No data available	No data available
Diethylene glycol - (111-46-6)	No data available	11,890.00, Rabbit - Category: NA	No data available	No data available	No data available



Revision Date: 01/17/2023

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000107-21-1	Ethane-1,2-diol	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	A4
0000111-46-6	Diethylene glycol	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	4	Harmful if swallowed.
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

Possible routes of entry: No data available.

Symptoms and effects, both acute and delayed:

No specific symptom data available.

Treat symptomatically.

Ingestion Harmful if swallowed.

Section 12. Ecological information

Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.



Revision Date: 01/17/2023

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Ethane-1,2-diol - (107-21-1)	72,860.00, Pimephales promelas	101.00, Daphnia magna	3,536.00 (96 hr), Green algae
Diethylene glycol - (111-46-6)	32,000.00, Gambusia affinis	8,400.00, Daphnia magna	Not Available

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

Not Available

Mobility in soil

No data available.

Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

Other adverse effects

No data available.

Section 13. Disposal considerations

Waste treatment methods

Observe all federal, state, and local regulations when disposing of this substance.

TDG (Domestic Surface

Section 14. Transport information

IMO / IMDG (Ocean

ICAO/IATA

Classification Method: Classified as per Part 2, Sections 2.1 - 2.8 of the Transportation of Dangerous Goods Regulations.

	Transportation)	Transportation)	
UN number	Not Regulated	Not Regulated	Not Regulated
UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
Transport hazard	TDC Hazard Class. Not	IMDC: Not Applicable	Air Class, Not Applied

Transport hazard Class: Not Applicable Sub C

Packing group Not Applicable Not Applicable Not Applicable

Environmental hazards

Marine Pollutant: No;



Revision Date: 01/17/2023

Special precautions for user

Not Applicable

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

This product has been classified in accordance with the hazard criteria Hazardous Products Regulations (SOR/2015-17) and the SDS contains all of the information required by those regulations.

Toxic Substance Control Act (TSCA)

Diethylene glycol ()

Ethane-1,2-diol ()

Potassium hydroxide. ()

Canadian Domestic Substance List (DSL):

Diethylene glycol

Ethane-1,2-diol

Canadian Non-Domestic Substance List (NDSL):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Ethane-1,2-diol

Potassium hydroxide.

Pennsylvania RTK Substances (>1%):

Diethylene glycol

Ethane-1,2-diol

Potassium hydroxide.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

Ethane-1,2-diol

Proposition 65 - Female Repro Toxins (>0.0%):

Ethane-1,2-diol

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [Ethane-1,2-diol], which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Revision Date: 01/17/2023

Chemical Name (CAS Number)	US TSCA	Australia AICS	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EN NLP	Mexico INSQ
Ethane-1,2-diol (0000107-21-1)	Yes	Yes	Yes	Yes	No	No	No	Yes
Diethylene glycol (0000111- 46-6)	Yes	Yes	Yes	Yes	No	No	No	Yes

Chemical Name (CAS Number)	China IECSC	Japan ENCS	Japan ISHL	Japan PDSCL	Japan PRTR 1	Japan PRTR 2	Philippines PICCS	New Zealand NZIOC
Ethane-1,2-diol (0000107-21-1)	Yes	Yes	Yes	No	No	No	Yes	Yes
Diethylene glycol (0000111-46-6)	Yes	Yes	No	No	No	No	Yes	Yes

Section 16. Other information

Revision Date 01/17/2023

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

End of Document